(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 12 April 2001 (12.04.2001)

(10) International Publication Number

(51) International Patent Classification7:

WO 01/25710 A1

- (21) International Application Number: PCT/NL00/00694
- (22) International Filing Date:

28 September 2000 (28.09.2000)

(25) Filing Language:

English

F28D 19/04

(26) Publication Language:

English

(30) Priority Data:

1013232

6 October 1999 (06.10.1999)

- (71) Applicant (for all designated States except US): URSUS B.V. [NL/NL]; Oostenburgervoorstraat 142-144, NL-1018 MR Amsterdam (NL).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): MIDDENDORF, Johan, Gerhard [NL/NL]; Naardermeer 55, NL-1447 KJ Purmerend (NL).

- (81) Designated States (national): AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL. IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA,UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

- With international search report.
- Before the expiration of the time limit for amending the claims and to be republished in the event of receipt of

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SET OF PLATES FOR A HEAT-REGENERATOR



(57) Abstract: The invention concerns a set of heat-exchange plates (1) for a heat regenerator which serves as storage of heat obtained from a stream of hot gasses. The stored heat is later used to raise the temperature of cold gasses. The plates (1) are provided with a pattern of regularly spaced dimples (2). The pattern is kept asymmetric in relation to the length of the plate (1) so that the distances (3) and (4) are different. By stacking the plates (1) back to front, the dimples (2) stagger. When pressing the set of plates (1) somewhat together a waveform is created in the plate (1) which increases the efficiency of the set plates.



Set of plates for a heat-regenerator.

The invention concerns a set of heat-exchange plates for a heat regenerator which serves as storage of heat obtained from a stream of hot gasses. The stored heat is later used to raise the temperature of cold gasses.

Heat regenerators are known from air-conditioning installations for buildings where two regenerators are sequential used as heat-collector and heat supplier. With these systems are very high efficiencies to be realised.

A problem is the amount of material which is necessary to storage a reasonable amount of heat. Known are metal plates which are foreseen of a light wave-like form and with small space in between are placed in a case. There is the practical problem to keep the plates straight and constant distance.

The invention solves this drawback by having a dimple pattern in the plates. The plates are foreseen with a asymmetric pattern of dimples where the mutual distance is determined by the thickness of the plate. It is found that the pattern of dimples has a beneficial effect on the transfer of heat from gas to plate and vice versa. By pressing the set of plates somewhat together a wave-like form is created in the plate which increases the efficiency of the set plates. It is found that with thinner plates a reduction of weight of about 20 percent is obtained with the same capacity.

20

Description of the invention.

Fig. 1 shows a plate.

Fig. 2 shows a detail of a dimple.

Fig. 3 shows a detail of the plates in mutual relation.

Fig. 4 shows a second variant of the form of a dimple.

Fig. 5 shows a third variant.

Fig. 6 shows a fourth variant.

In fig. 1 is the plate indicated with (1). In plate (1) are pressed dimples (2) with regular distances in a pattern. By keeping the pattern asymmetric in relation of the length of the plate the end distances (3) and (4) are different. In reality the difference between distances (3) and (4) is somewhat more than half of the diameter of the dimples. By stacking the plates back to front the dimples (2) stagger and the plates are hold at the desired distance. In Fig. 2 is shown a cross section over a part of the set of plates. With (1a) is indicated the plate which is stacked back to front. The thickness of the set plates is determined by the number of plates being stacked. An example is a set of plates of 88 dimpled plates and a flat closing plate of 360 x 360 x 940

WO 01/25710 PCT/NL00/00694

-2-

millimetre with a weight of 48 kilogram. The Plates (1) are made of aluminium and 0,6 millimetre thick. To prevent corrosion the plates (1) are anodised.

In Fig. 3 is indicated with (3) a form of a dimple (2). Dimple (3) has the form of a cone with a hollow point.

os In Fig. 4 is a variant of dimple (3) in the form of a spherical dimple (4).

In Fig. 5 is indicated with (5)a variant of dimple (2), in this case an elongated, slanted dimple, which causes a oscillating flow of gasses.

In Fig. 6 are dimples indicated which have the form of a turbine blade to vary the course of the flow of gas.

It is found that the dimples (2) causes a favourable disturbance which ameliorate the transfer of the heat.

The compressing of the set of plates causes a wave-like form of the plates (1) that also results in increasing the working.


WO 01/25710 PCT/NL00/00694


-3-

Claims.

- Set of plates for a heat-regenerator <u>characterised</u> by that the set is stacked from plates (1) which are foreseen with a asymmetric pattern of dimples (1, 2, 3, 4, 5, 6) where the dimples (1, 2, 3, 4, 5, 6) are devided uniform on the surface of the plate (1), where plates (1) and (1a) are placed back to front and the complete set is pressed together where a wave-like form in the plates (1, 1a) is created.
- 2. Set of plates as in claim 1 <u>characterised</u> by that the dimples (3) have the form of a cone with a hollow point.
 - 3. Set of plates as in claim 1 and 2 characterised by that the dimples (4) are spherical in form.
- 4. Set of plates as in claim 1, 2 and 3 <u>characterised</u> by that the dimples (5) are elongated and placed slanted.
 - 5. Set of plates as in claim 1, 2, 3 and 4 <u>characterised</u> by that the dimples (6) have the form of a turbine blade.
- 6. Set of plates as in claim 1, 2, 3 and 4 <u>characterised</u> by that the set plates after stacking is pressed together in such a way that a wave-like form is created in plates (1).


* * * *







-2/2-


F16 4





F16 5











FIG E







INTERNATIONAL SEARCH REPORT

inter nai Application No PCT/NL 00/00694

A. CLA	SSIFICATION	OF SUBJECT	MATTER
TPC	7 F28D	19/04	

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) IPC 7 F28D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical search terms used)

EPO-Internal, PAJ

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 1 210 228 A (SVENSKA ROTOR MASKINER AKTIEBOLAG) 28 October 1970 (1970-10-28) the whole document	1,3
A	US 3 921 713 A (SCHNITZER EMANUEL ET AL) 25 November 1975 (1975-11-25) column 2, line 37 - line 46; figures	2-5
A	US 3 463 222 A (GRAMES LLOYD DONALD) 26 August 1969 (1969-08-26) the whole document	1-3
A	GB 2 099 740 A (MATERIAL SCIENCES CORP;RAUSCH JOHN JACOB; THYNE RAY JOSEPH VAN) 15 December 1982 (1982-12-15) page 5, line 80 - line 96; figures 13-15	1-3
	-/	

X Turner documents are interest and are security and secu				
Special categories of cited documents :	"T" later document published after the international filing date or priority date and not in conflict with the application but			
A document defining the general state of the art which is not considered to be of particular relevance	cited to understand the principle or theory underlying the invention			
E earlier document but published on or after the international filling date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to			
L document which may throw doubts on priority claim(s) or	involve an inventive step when the document is taken alone			
which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the			
 O document referring to an oral disclosure, use, exhibition or other means 	document is combined with one or more other such docu- ments, such combination being obvious to a person skilled			
P document published prior to the international filing date but later than the priority date claimed	in the art. *&* document member of the same patent family			
Date of the actual completion of the international search	Date of mailing of the international search report			
6 February 2001	12/02/2001			
Name and mailing address of the ISA	Authorized officer			
European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.	Mootz, F			
Fax: (+31-70) 340-3016	110002, 1			

2

INTERNATIONAL SEARCH REPORT

Inter: Inal Application No PCT/NL 00/00694

	RION) DOCUMENTS CONSIDERED TO BE RELEVANT	Delouget to steep \$15
ategory °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
\	GB 2 109 525 A (NORTHERN SOLAR SYSTEMS INC) 2 June 1983 (1983-06-02) abstract; figures	1-5
	US 3 910 344 A (HAGEN ROBERT J) 7 October 1975 (1975-10-07) column 4, line 3 - line 22 column 5, line 38 - line 51; figures	4
ļ		
		(

INTERNATIONAL SEARCH REPORT

ormation on patent family members

Inter anal Application No PCT/NL 00/00694

Patent document cited in search repor	t	Publication date		Patent family member(s)	Publication date
GB 1210228	A	28-10-1970	NL	6715208 A,C	13-05-1968
US 3921713	Α	25-11-1975	NONE		
US 3463222	Α	26-08-1969	GB	1192326 A	20-05-1970
			ΙE	32181 B	02-05-1973
			NL	6811687 A,B,	18-02-1969
GB 2099740	Α	15-12-1982	US	4394422 A	19-07-1983
			DE	3216838 A	27-01-1983
			FR	2507116 A	10-12-1982
			JP	58013489 A	25-01-1983
GB 2109525	Α	02-06-1983	CA	1200237 A	04-02-1986
•			DE	3240598 A	09-06-1983
			FR	2516229 A	13-05-1983
			JP	58108393 A	28-06-1983
			SE	8206246 A	13-05-1983
US 3910344	Α	07-10-1975	CA	999288 A	02-11-1976
			DE	2512358 A	09-10-1975
			GB	1440748 A	23-06-1976
			IT	1032448 B	30-05-1979
			JP	50130047 A	14-10-1975